

State of Idaho Department of Administration Division of Public Works

502 North 4th Street Boise, ID 83720-0072 Telephone (208) 332-1900 www.dpw.idaho.gov

ADDENDUM NO. 2

December 9, 2022

TO: Design-Build Teams

FROM: Pat Donaldson, DPW Administrator

SUBJECT: DPW PROJECT NO. 23881

State of Idaho Deferred Maintenance Program *Idaho State University; Pocatello, Idaho*

RFQ - ADDENDUM NUMBER TWO

The following addendum applies to the above referenced project and is included as part of the Request for Qualifications (RFQ). Acknowledge this addendum within your cover letter of your submittal. Please make certain to include a specific contact name and email address for future correspondence with the cover letter.

Clarifications:

- 1) Attached to this addendum are relevant responses to Proposer questions related to this RFQ.
- 2) Attached to this addendum are copies of additional engineering studies and reports.

Attachments:

- 1) Pre-Proposal Question Log
- 2) ISU G1 Parking Lot Schematic Design Report, developed by Keller Associates, dated February 2015
- ISU G1 Parking Lot Schematic Conceptual Plans, developed by Keller Associates, dated March 2015

END OF ADDENDUM NUMBER TWO

Idaho DPW - Pre-Proposal Question Log DB Services, Deferred Maintenance Program, Idaho State University DPW Project Number: 23881

Last Updated: 12/7/2022



Date	Question / Comment	Official Response
5-Dec-22	3. What design consultant qualification information does the University and DPW want to see in the design-build submittal response? 4. In the informational meeting, the desire was stated to minimize the level of design to obtain agency approval. An expectation was also stated to have a focus on quality, serviceability and operability. Given the complexities of some of these projects, please provide further explanation of the design and overall project expectations from the design consultants? 5. Is there a deadline for completion of these projects? Does the approved funding expire or become not available after a certain date? 6. Can the prior project studies referred to in Appendix D be made available? 7. Is the design-builder expected to use the same design consultants for each of the deferred maintenance projects?	relates to the design team provide "qualifications, education, training,
	Ind of Pre-Proposal Question Log	

G1 PARKING LOT SCHEMATIC DESIGN IDAHO STATE UNIVERSITY Pocatello, Idaho

February, 2015 ENGINEERS PROJECT NO. 214113-000

PREPARED BY:



305 N 3rd, Suite A Pocatello, Idaho 83201 (T) (208) 238-2146 (F) (208) 238-2162 PREPARED FOR:

Idaho State



University

G1 PARKING LOT 214113

TABLE OF CONTENTS

Storm Water Handling Conceptual Report

Preliminary Storm Water Volume Calculations

Engineers Preliminary Opinion of Cost Range

DRAWINGS

<u>GENERAL</u>	
G001	TITLE SHEET
V101	EXISTING G1 PARKING LOT
C101	G1 PARKING CONCEPT 1
C102	G1 PARKING CONCEPT 2
C103	G1 PARKING CONCEPT 3

Idaho State University G1 PARKING LOT Storm Water Handling Conceptual Report

The purpose of this report is for conceptual ideas of storm water handling systems for the Idaho State University G1 Parking Lot. Sources or areas which need storm water handling are an existing building roof, existing and conceptual landscape areas, existing and conceptual concrete paved areas, and existing and conceptual asphalt paved parking and drive areas.

There are mainly two types of storm water retention systems we would consider for the G1 Parking lot. First would be an above grade detention pond. The second system would be an underground detention system constructed of Manholes, pipes, or half arch pipe systems. Both Systems can be designed either to allow for the slow release of storm water into the City storm water system or they can be designed to infiltrate into the ground directly. Below are some examples of storm water detention systems that have been used in the southeast Idaho area.

Above Grade Detention Pond:

Above grade detention ponds are relatively inexpensive to build in comparison to underground systems. As mentioned above they can be designed to release water into a City system or be designed to infiltrate in the ground directly. The pond under construction to the right (Figure A) is designed to slowly release water to a City storm system. The Pond below (Figure B) is designed to infiltrate into the ground directly.





Surface detention ponds are also a very efficient at maximizing the volume of storm water. They can be incorporated into aesthetically pleasing landscape areas and can be designed in many different configurations to fit a proposed site.


For the ISU G1 parking lot an above grade pond could be placed along the west edge of the site in the landscape area. Other smaller ponds or swales could be incorporated into other areas of the site such as narrow landscape strips or islands.

Underground Detention System:



Underground Detention Systems, while more expensive, can be placed under parking lot or landscape areas. These also can be designed to release water into a City system or be designed to infiltrate in the ground directly. Many times, due to the depth of the underground system, they cannot drain to a City storm collection system and may need to infiltrate directly to the ground. These systems are not visible and are popular since they do not take up limited landscape areas.

The system shown under construction in Figure C was designed to detain a 10 year storm event while slowly draining to a City storm system. The underground infiltration system from StormTech shown in Figure D is an excellent example of how an infiltration system can be installed under a parking lot or landscape area.



For the ISU G1 parking lot a below grade system could be placed along the west side of each parking area. Dividing this system into smaller basins allows for placement if space is limited. Small basins work well under landscape areas as well or in areas where smaller storm water flows are needed.

We feel that both above grade and below grade system would work well for the ISU G1 Parking Area. Above grade storm water storage would be the first priority in design, however combination of both systems would most likely need to be incorporated into the parking lot design.



305 N. 3rd Avenue, Suite A, 83201 Phone: 208.238.2146 Project: G1 Parking Lot - Conceptual

Client: Idaho State University

Designer: Kris Wiese

Description: Stormwater Calculation

Date 2/17/2015

Preliminary Storm Volume Calculations

Post-Development Weighted C Coefficient

Description	Area (SF)	Area (acres)	С
Building	30,000.00	0.688705234	0.95
Hard Surface	228,890	5.255	0.95
Landscaping/Natural Ground	131,017	3.008	0.25
		$C_{post} =$	0.71

Volume, $V_r = C \times (i/12) \times A \times T$ (cf)

Post-Development Runoff Coefficient, $C_{post} = 0.71$

 $\begin{array}{ccc} \text{Storm Event} = & 10 \text{ year} \\ \text{Total Area, A} = & 359907 \text{ sf} \\ \text{Duration of storm, T} = & 3.00 \text{ hr} \end{array}$

Rainfall Intensity, i = 0.62 in/hr

(from Pocatello IDF curve)

Volume, $V_{post} = 39875$ cf

Infiltration Sizing Requirements

Required Storage Pond size = 39,874.7 cf

(example of size) Length = 270 ft

Width = 45 ft

Depth = 6.6 ft

Storage provided = 40,095.0

ENGINEER'S PRELIMINARY OPINION OF COST RANGE DRAFT

*Does not include Site Design and Construction Engineering



PROJECT: LOCATION REP ISU G1 Parking Lot (Schematic)

Pocatello, Idaho Jason Adams

PROJECT NO.: ESTIMATED BY: CHECKED BY:

214113 KJW

DATE: 2/17/2015

JPM 2/17/2015

		G1 Parking	Lot (Schemat	ic)
ITEM	UNIT	QUANTITY	UNIT PRICE	AMO
General				
Mobilization and Demobilization	LS	1	\$50,000.00	\$
Erosion Control	LS	1	\$9,500.00	
Sanitary Facilities	LS	1	\$3,200.00	
Demolition				
Curb & Gutter	LF	2,940	\$2.00	
Valley Gutter	LF	276	\$2.00	
Sidewalk	SY	2.457	\$7.00	9
Parking Meter Removal and Store	LS	1	\$5,500.00	,
, and the second	_	1	' '	
Site Lighting	EA	15	\$1,500.00	,
Storm Drain Inlet	EA	3	\$500.00	
Extra excavation for expansion	CY	1,144	\$8.00	
Sign Removal & Store	LS	1	\$5,500.00	
Parking Demolition, asphalt, base, sub-base	SY	20,245	\$5.00	\$
Tree Removal	EA	39	\$2,250.00	
Sawcut Aspalt	LF	1,144	\$7.50	
Site Over excavation to Subbase	CY	11,913	\$10.00	\$
One Over excavation to Subbase		11,913	Ψ10.00	Ψ
Site				
Curb & Gutter	LF	3,288	\$21.00	
3' Valley Gutter	LF	60	\$45.00	
ADA Ramps	EA	9	\$1,500.00	
Driveway, 8" thick	CY	18	\$400.00	
Sidewalk	SY	1,785	\$65.00	\$
4"-crushed Aggregate	CY	200	\$20.00	,
2.5" - 3/4" Minus Class one Paving	CY	1,450	\$175.00	\$
4"-3/4" Minus crushed aggragate base	CY	2,250	\$15.00	Ψ
	_	, , , , , , , , , , , , , , , , , , ,	*	
12"-4" minus granular subbase	CY	6,810	\$19.00	\$
Pavement Line Paint	LF	11,336	\$0.30	
Cross Walk Line Paint	LF	262	\$0.90	
Singing	LS	1	\$8,500.00	
Cross Walk Flashing Beacon Light	EA	6	\$7,500.00	,
Street Lights	EA	20	\$7,500.00	\$
New Trees	EA	70	\$1,500.00	\$
Site Irrigation, Sleeving, Landscaping	SF	48,300	\$3.00	\$
Storm Drain Inlet	EA	6	\$4,000.00	,
Storm Drain Storage System (pond)	LS	1	\$30,000.00	,
Com Dian Glorage Cystem (pond)		' '	ψ50,000.00	`
	•		Sub Total	\$1,5
	ontractor Ove	erhead & Profit	15.0%	\$2
		Contingency	25.0%	\$3
CC			nstruction Cost	\$2,

Low

High


\$2,111,465


\$2,778,243

G1 PARKING LOT SCHEMATIC CONCEPTUAL PLANS

IDAHO STATE UNIVERSITY POCATELLO

MARCH, 2015 (Updated)





// /
\rightarrow
ِي کي

G

				DRAWN:	CHECKED:
				KJW	JPM
				DESIGNED:	APPROVED:
NO.	REVISIONS	BY	DATE	KJW	JPM
personal p	ocument or any part thereof in detail or design property of Keller Associates, Inc. and shall not a without the written authorization of Keller Ass	be co	pied in any	CAD NAME:	SCALE: (Based on 22"x34" shee AS NOTED





IDAHO STATE
UNIVERSITY

1 PARKING LOT SCHEMATIC CONCEPTUAL	PROJECT NO.
PLANS	214113
	SHEET NO.
TITLE SHEET	G001





NO. REVISIONS BY DATE
This document or any part thereof in detail or design concept is the
personal property of Keller Associates, Inc. and shall not be copied in any
form without the written authorization of Keller Associates, Inc. SCALE: (Based on 22"x34" sheet) 1" = 5'



UNIVERSITY

C101



NO. REVISIONS BY DATE
This document or any part thereof in detail or design concept is the
personal property of Keller Associates, Inc. and shall not be copied in any
form without the written authorization of Keller Associates, Inc. SCALE: (Based on 22"x34" sheet) 1" = 5'



UNIVERSITY

C102



NO. REVISIONS BY DATE
This document or any part thereof in detail or design concept is the
personal property of Keller Associates, Inc. and shall not be copied in any
form without the written authorization of Keller Associates, Inc. SCALE: (Based on 22"x34" sheet) 1" = 5'



UNIVERSITY

C103

